

INSTALLING LABELLOGIC IN A CORPORATE ENVIRONMENT

Introduction

Labellogic® Labelling software is supplied and supported by Planglow Limited free of charge subject to its use only with labels supplied by Planglow Limited.

Labellogic is only available for the Windows® environment, and version 5.X.X is only for Windows 2000/XP. Earlier versions of Windows are no longer supported by Microsoft, but Planglow will continue to supply LabelLogic 4.3.5 for those who are unable to upgrade for the time being.

LabelLogic requires full Administrator rights to install, and full access to both the LabelLogic Data folder and the LabelLogic Program location in order for the program to function correctly. This will be discussed in greater detail later.

Installation

Log on as Administrator or with Administrator rights. Insert the CD and if it does not auto-run, execute SETUP.EXE in the root directory of the CD. Follow on-screen prompts on screen. The default installation directory for the LabelLogic program files is "C:\Program Files\Planglow\LabelLogic" Unless there is a very good reason, please do not change this location. The default installation for the data files is "C:\LabelLogic Data" Again, unless there is good reason, please do not change this folder. Should you wish to install the data on a fileserver, please use the same directory structure, ie create a folder called "*users*" or "*catering*" on the server drive and share it, and then from the workstation map a drive to [\\servername\usersshare](#) and during installation specify the data directory as X:\labellogic data. If installation has already been completed, just copy the labellogic data folder (in its entirety!) from the local drive to the folder *users* on the server drive.

During installation you will be prompted to specify installation options. Normally you will not need to change the defaults.

Once LabelLogic is installed, you will need to set user rights. On Windows XP Professional & Vista Business ensure that Simple File Sharing is Disabled. In Explorer, browse to the LabelLogic Data folder, right-click it and go to Properties and click the Security tab. If "Everyone" does not appear, add Everyone and allow them Full Control. Apply this to the current folder and files and all subfolders and files.

Repeat this for the Planglow folder (under Program Files)

Log off and log back on as a user. Start LabelLogic. It will prompt you "No Data Directory Selected" After acknowledging the licence agreement, go to File – Set Data Source. Click Change. Doubleclick the top of C:, then browse to LabelLogic Data and double click it. With LabelLogic Data highlighted, click Select. Click Close. Close and re-open LabelLogic. If this is a clean installation, it should prompt you for the Sample Data location. The default location is C:\labellogic data\data, but if you have installed the data on a server drive, you will need to modify the location accordingly.

There is a file FIXDIRS.INF in the Utilities folder on the CD which may be copied to\\All Users\Desktop and used to create the registry keys instead of opening LabelLogic etc. This file must be installed while logged on as the individual user. LabelLogic holds most of its settings in HKEY_CURRENT_USER, specifically in HKCU\Software\Planglow\Labeller\1.0. All keys below 1.0 control LabelLogic, and thus the individual user must have Full Control to these keys.

IMPORTANT

For backup and restore, LabelLogic needs to run DLLs in \Windows\System32. These of course, run as the current User account. If the User has insufficient rights to run these DLL files, copy XCEEDZIP.DLL, XICRCORE.DLL and PGTOOLS.OCX to C:\Program files\Planglow\LabelLogic and re-register them. This will avoid LabelLogic Error 2005 when attempting to backup or restore. There is a batch file in the Utilities folder on the CD, SHIFTP.BAT or SHIFTP2K.BAT to copy and re-register these files. It assumes the program is installed to the default location, C:\Program Files\Planglow\LabelLogic

For Corporate Builds, if you do not wish to pre-install LabelLogic and set the rights on the Master Build, then it is extremely advantageous to manually create the directories C:\LabelLogic Data and C:\Program Files\Planglow on that Master Build. Give both these directories Full Rights (i.e. Everyone has Full Control) and then, when LabelLogic is subsequently installed (which will still require Administrator privileges) the program and data folders should have inherited the rights from the previously created directories. Please do not "hide the data away" by placing it under Documents and Settings. This will, in the long term, cause more problems than it will solve. Should Corporate requirements prevent the installation of the data to C:\LabelLogic Data, then please install the data to C:\Program Files\Planglow\LabelLogic Data, and advise Planglow's support services accordingly.

FOOTNOTE RELATING TO SERVER2003 and VISTA

With these OSes, Data Execution Prevention is enabled for all programs by default. Either change it so it is only Windows Programs and Services which are controlled, or add LLMAIN.EXE to the list of allowed programs. DEP can be found in Control Panel – System – Advanced Settings